



landscape • entertainment • architectural • hospitality • illumination

RXD-02-TS DIRECTIONAL LIGHTS





DIRECTIONAL LIGHTS RXD-02-TS SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION:

COPPER: Copper tube shield bullet and cast brass adjustable swivel with 240° rotation
ALUMINUM: Aluminum tube shield bullet; matching cast aluminum adjustable swivel with 240° rotation

LENS: High impact clear tempered convex glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 20w MR16 FL(BAB) 5000 hours average rating (35w max copper 50w max aluminum)

LAMP OPTIONS: We recommend 50,000 hour ARROW 4w LED (-LED) or 40,000 hour 5w (-LED5) or 7w (-LED7) ARROW Super Saver LED

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires


WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)
 For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 black 9" ABS stake threaded 1/2" NPS

FINISH: Copper - Unfinished only

Aluminum - Black texture polyester powder coat. Optional finishes available



RXD-02-TS-COP
shown on FA-24-BRS


ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
RXD-02-TS-COP	Copper Tube Shield Bullet	20w MR16 FL(BAB)	3.0 lbs.
RXD-02-TS-BLT	Aluminum Tube Shield Bullet	20w MR16 FL(BAB)	3.0 lbs.

LAMP AND STAKE *INSTALLED* TO SAVE YOU TIME AND MONEY



MOUNTING ACCESSORIES



BEAM/GLARE CONTROL ACCESSORIES

FA-08-21	Round 1/4" Hex Cell Louver
FA-11-RXD02-BLUE	Blue Tempered Glass Insert Lens
FA-11-RXD02-GREEN	Green Tempered Glass Insert Lens
FA-11-RXD02-AMBER	Amber Tempered Glass Insert Lens
FA-11-RXD02-RED	Red Tempered Glass Insert Lens
FA-98-02	Linear Spread Tempered Glass Lens
FA-104-36C16	Wide Spread/Softener Glass Lens for RXD-02 Copper Series
FA-104-RXD02ALUM	Wide Spread/Softener Glass Lens for RXD-02 Aluminum Series

JOB INFORMATION

Type: _____ Date: _____

Job Name: _____

Cat. No.: _____

Lamp(s): _____

Specifier: _____

Contractor: _____

Notes: _____

FOCUS INDUSTRIES INC.®
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630

www.focusindustries.com
sales@focusindustries.com
(949) 830-1350 • FAX (949) 830-3390

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT




DIRECTIONAL LIGHTS RXD-02-TS SERIES




TYPE


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




FL-13W-FG




FL-13-BAB-FG




FL-13-ESX-FG




FL-13-VWFL-FG




FL-15-FMW-60-FG




**FL-15-FMW-FG
FL-15-FMW-ULTRA**




FL-15-FMT-FG




**FL-15-FMV-FG
FL-15-FMV-ULTRA**




**FL-10-EXN-FG
FL-10-EXN-ULTRA**




**FL-10-EXT-FG
FL-10-EXT-ULTRA**




FL-10-VWFL-FG




FL-10-EXZ-ULTRA




FL-13-EYC-FG



FL-20-EYF-FG



FL-LED-MR16-BAB



FL-LED-MR16-ESX

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT